



Atty. Dkt. No. 035642-0105

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicant: Xiaolei YU et al.  
Title: Method And Device For Detecting Quinolone-Resistant Escherichia Coli  
Appl. No.: 10/671,883  
Filing Date: 09/29/2003  
Examiner: Steven Pohnert  
Art Unit: 1634  
Confirmation Number: 5369

**RESPONSE TO RESTRICTION REQUIREMENT**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

This communication is responsive to the Office Action mailed in the above-captioned case on May 4, 2006. Applicants believe no additional payment is required for filing this response. If this is incorrect, however, the Commissioner is authorized to make appropriate charges or credits to Deposit Account No. 19-0741 to provide exact payment.

**Restriction Requirement**

Applicants hereby elect the claims of Group I, claims 1-10, for prosecution in the instant application. With respect to claim 4, applicants elect amino acid position 87. With respect to claim 8, applicants elect capture probe "E. coli\_GyA87A1" from Table 1.

Applicants specifically reserve the right to file divisional applications covering the subject matter of the non-elected claims.

Receipt of the initial Office Action on the merits is awaited.

Respectfully submitted,

Date June 5, 2006

FOLEY & LARDNER LLP

Customer Number: 22428

Telephone: (202) 672-5480

Facsimile: (202) 672-5399

By



R. Brian McCaslin

Attorney for Applicant

Registration No. 48,571